



# BONA SPORTIVE FINISH

## Product Description

### Features

Bona Sportive Finish is a 2-component waterborne 100% polyurethane finish for the surface treatment of wooden sports floors in both specialist and multi-purpose environments.

- 100% polyurethane
- High resistance to wear, scuff marks and scratches
- Very good chemical resistance
- Meets DIN norm 18 032:2 for slip resistance

### Technical Data

Type of finish:	2-component waterborne 100% polyurethane finish
Solids content:	Approx. 32%
Viscosity:	Approx. 17 sec. (25°C, FC4)
pH-value:	Approx. 8
Resistance to wear:	Approx. 5 mg/100 revolutions (SIS 923509)
Sheen (at 60°):	Gloss: approx. 90, Matt: approx. 20
Mixing ratio:	4% Bona Sportive Hardener (40ml: 1litre finish)
Drying time:	2½ - 3 hours at 20°C/60% R.H.
Application tools:	Bona Roller or Bona Applicator Bar
Application rate:	8-10 m <sup>2</sup> /litre (120-100g/m <sup>2</sup> ) per coat
Safety:	Finish: Unclassified Hardener: Classified (see Safety Data Sheet)
Shelf life:	1 year, from date of production, in unopened original container
Storage/transport:	The temperature must not fall below +5°C or exceed +25°C during storage and transport
Disposal:	Wastes and emptied containers should be handled in accordance with local regulations.
Pack size:	2 x 10 litres + 2 x Sportive Hardener (24 boxes per pallet)