

**Hardwax Oil**




**Marlodon | MXW620 Satin, MXW630 Ultra Matt**  
Quick drying clear hard wax oil. 3-4 hours / 5 hours recoat time. 2 coats in one day. Water repellent and dirt resistant. Coverage 23m<sup>2</sup> per coat per 1 litre.

850135	Satin 0.125 Litre Tester Pot	
850136	Satin 0.75 Litre	
850137	Satin 2.5 Litre	
	4 x Satin 2.5 Litre (Nett)	
850138	Satin 10 Litre Nett	
850139	Ultra Matt 0.125 Litre Tester Pot	
850140	Ultra Matt 0.75 Litre	
850141	Ultra Matt 2.5 Litre	
	4 x Ultra Matt 2.5 Litre (Nett)	
850142	Ultra Matt 10 Litre Nett	

**Colourwax Oil**



-  **MXW650** Natural Oak
-  **MXW652** Walnut
-  **MXW654** Ebony

**Marlodon | MXW650 Natural Oak, MXW652 Walnut, MXW654 Ebony** Transparent natural finish. All colours can be intermixed. Recommended to be overcoated with 2 coats of MXW620 or MXW630. Coverage 21m<sup>2</sup> per coat per litre.

850145	Natural Oak 0.125 Litre Tester Pot	
850146	Natural Oak 2.5 Litre Nett	
850147	Walnut 0.125 Litre Tester Pot	
850148	Walnut 2.5 Litre Nett	
850149	Ebony 0.125 Litre Tester Pot	
850150	Ebony 2.5 Litre Nett	

**MXW640 Hardwax Oil Intense**



**Marlodon |** Prime base coat for dense hardwoods. Brings out the beauty of wood. Recommended to be overcoated with MXW620 or MXW630. Coverage 17m<sup>2</sup> per coat per litre.

850143	0.125 Litre Tester Pot	
850144	2.5 Litre Nett	

**Wax**



**Mylands |** Traditional wax for virtually all interior wood finishes. Easy build up to give increased shine and protection. Quick drying time of 15mins before buffing. Coverage 15-20m<sup>2</sup>/litre. 6 per box.

850132	5 Litre White Wax	
850133	5 Litre Light Brown Wax	

**Wood Floor Oil**



Very fast drying oil

**Blanchon |** An oil that requires no buffing and benefits from the application of 3 coats in 3 hours. Fast roller application. Does not colour the wood.

Coverage: approx 18m<sup>2</sup> per coat per litre.

850312	1 Litre	
850313	5 Litre	
	4 x 5 Litre units (Nett)	


**Liquid Wax**



**Mylands |** Clear wax formulated to clean and maintain wooden floors. Gives a soft satin sheen. 1-2 hours drying time. Recommended to be polished with buffing machine.

850134	5 Litre	
--------	---------	--


**Carls 90**



**Bona |** Oil for wooden floors containing 90% tall oil from pine trees. Suitable for floors no greater than 70m<sup>2</sup>. Coverage 10-12m<sup>2</sup>/litre. Quick recoat time @ 20 mins. Recommended to be applied with Bona Oil Applicator.

850126	1 Litre	
850127	5 Litre	

**Carls 45**



**Bona |** Oil for wooden floors containing 45% tall oil from pine trees. Suitable for larger areas over 70m<sup>2</sup>. Coverage 4-8m<sup>2</sup>/litre. Recoat time 30-45 mins. Brings out the beauty of wood naturally.

850128	1 Litre	
850129	5 Litre	

**Carls 25**



**Bona |** A maintenance oil for Carls 90, 45 and similar oils. Brings back to life dull floors easily. Recoat time approx 30-45 minutes.

850130	1 Litre	
850131	5 Litre	

**Carls Hard Wax Oil**



**Bona |** A hard wax oil giving a natural finish. Two coats ready in one day. Meets DIN 51130-R9 for slip resistance. Coverage 20-24m<sup>2</sup> per litre per coat.

850304	0.75 Litre	
850306	2.5 Litre	
850311	10 Litre	

**Polyx Oil**

DG



**Osmo | Satin/Ultra Matt** Clear, transparent, hardwax oil. Extremely water-repellant and dirt resistant. Will not crack, flake, peel or blister and is micro-porous. Coverage 1 litre = approx 20m<sup>2</sup>. 2 coat application. Approx 8 - 10 hours re-coat time subject to conditions. 4 per box.

850151	Satin	0.125 Litre Sample Pot
850152	Satin	0.75 Litre
850153	Satin	2.5 Litre
850154	Satin	10 Litre
850155	Ultra Matt	0.125 Litre Sample Pot
850156	Ultra Matt	0.75 Litre
850157	Ultra Matt	2.5 Litre
850158	Ultra Matt	10 Litre

**Rapid Polyx Oil**

DG



**Osmo | Satin/Ultra Matt** The original Polyx Oil with a rapid drying time. 4-5 hours recoat time allowing for 2 coats to be applied in one day. The answer for all those 'fast-track' jobs. Coverage 1 Litre = approx 20m<sup>2</sup> per coat. 2 coat application. 4 per box.

850159	Satin	0.125 Litre Sample Pot
850160	Satin	0.75 Litre
850161	Satin	2.5 Litre
850162	Satin	10 Litre
850163	Ultra Matt	0.125 Litre Sample Pot
850164	Ultra Matt	0.75 Litre
850165	Ultra Matt	2.5 Litre
850166	Ultra Matt	10 Litre

**OS Colours**

DG



**Osmo |** Stock colours: White Spruce, White Transparent, Pine, Savanna, Beech, Birch, Cherry, Mahogany, Ebony, Oak, Walnut, Antique Oak & Cognac. Other colours are available by special order. All colours can be intermixed with each other. Recommended 1 coat colour, 2 coat clear hardwax oil. 20m<sup>2</sup> per litre. Approx 8 - 10 hours re-coat time subject to conditions. 4 per box.

850171	White Spruce	0.125 Litre Sample Pot
850172	White Spruce	2.5 Litre
850173	White Transparent	0.125 Litre Sample Pot
850174	White Transparent	2.5 Litre
850175	Pine	0.125 Litre Sample Pot
850176	Pine	2.5 Litre
850177	Savanna	0.125 Litre Sample Pot
850178	Savanna	2.5 Litre
850179	Beech	0.125 Litre Sample Pot
850180	Beech	2.5 Litre
850181	Birch	0.125 Litre Sample Pot
850182	Birch	2.5 Litre
850183	Cherry	0.125 Litre Sample Pot
850184	Cherry	2.5 Litre
850185	Mahogany	0.125 Litre Sample Pot
850186	Mahogany	2.5 Litre
850187	Ebony	0.125 Litre Sample Pot
850188	Ebony	2.5 Litre
850189	Antique Oak	0.125 Litre Sample Pot
850190	Antique Oak	2.5 Litre
850191	Walnut	0.125 Litre Sample Pot
850192	Walnut	2.5 Litre
850193	Cognac	0.125 Litre Sample Pot
850194	Cognac	2.5 Litre
850195	Cognac	0.125 Litre Sample Pot
850196	Cognac	2.5 Litre

**Clear Extra Thin**

DG



**Osmo |** Used as a prime coat for dense hardwoods. Excellent results on dark hardwoods. Can be dipped and sprayed. Coverage 1 litre = approx 16m<sup>2</sup>. 4 per box.

850167	0.125 Litre Sample Pot
850168	2.5 Litre

**Professional Polyx Oil (5125)**



**Osmo |** A hardwax oil designed for professionals. Extremely high solids content. One litre covers approx 60-80m<sup>2</sup> per coat (using Osmo professional scraper). 2 coat application. When dry it is recommended to use Polyx Floor Care Oil (5401 Clear Matt) for initial maintenance.

850169	1 Litre Satin
--------	---------------

**Polyx / Floor Care Oil (5401)**

DG



**Osmo |** Recommended to be used as initial maintenance over Professional Polyx Oil (5125). Excellent water repellent features. Outstanding durability. Very economical - second coat applied within 1 hour.

850170	1 Litre Clear Matt
--------	--------------------

**Decking Oil Clear**



**Osmo |** Decking/Teak Oil - Clear Satin. Maintains and protects garden furniture and garden deckings. Based on natural vegetable oil. Easy to apply. Coverage approx 20m<sup>2</sup>/litre. 2 coat application. No UV protection. 4 per box.

850197	2.5 Litre
--------	-----------

**Rustic Top Oil**



**Junckers |** Water based alkyd maintenance oil for floors treated with Rustic Oil or Solid 100 Oil. Quick dry approx. 30 minutes. Coverage 60-80m<sup>2</sup>/litre.

850063	0.5 Ltr
850064	2.5 Ltr

**Coloured Rustic Oil**



**Junckers** | Available in 7 colours: Walnut, Anthracite Grey, Mahogany, Nut, Cherry, White and Black. Can be overcoated with High Performance seals if required.

850040	Walnut 2.5 Litre	
850047	Walnut 5 Litre	
850041	Anthracite Grey 2.5 Litre	
850048	Anthracite Grey 5 Litre	
850042	Mahogany 2.5 Litre	
850049	Mahogany 5 Litre	
850043	Nut 2.5 Litre	
850050	Nut 5 Litre	
850044	Cherry 2.5 Litre	
850051	Cherry 5 Litre	
850045	White 2.5 Litre	
850052	White 5 Litre	
850046	Black 2.5 Litre	
850053	Black 5 Litre	

**Soul+ Collection Coloured Oils**



**Junckers** | Available in 8 colours: Hot Salsa, Tasty Cherry, Pure Chocolate, Smooth Rum, Raw Sugar, Spicy Pepper, Wild Hazel and Crunchy Caramel.

850321	Hot Salsa 2.5 Litre	
850322	Tasty Cherry 2.5 Litre	
850060	Pure Chocolate 2.5 Litre	
850059	Smooth Rum 2.5 Litre	
850055	Raw Sugar 2.5 Litre	
850058	Spicy Pepper 2.5 Litre	
850057	Wild Hazel 2.5 Litre	
850056	Crunchy Caramel 2.5 Litre	

**Rustic Oil**



**Junckers** | A hardening urethane oil for domestic and commercial wood. Enhances the natural grain and structure of the wood. Untreated wood 5-10m<sup>2</sup>/litre Treated wood 20-50m<sup>2</sup>/litre. Dry to touch after approx 8 hours. Ready to use after 24 hours.

850029	0.75 Litre	
850030	2.5 Litre	
850031	5 Litre	

**Master Oil Natural/White**



**W.O.C.A.** | Natural Oil for all types of untreated wood. Gives the floor a hard wearing and dirt resistant finish. Keeps the wood healthy and elastic. Coverage 10-12m<sup>2</sup>/litre. Application by polishing machine.

850198	1 Litre Natural	
850199	2.5 Litre Natural	
850200	5 Litre Natural	
850201	1 Litre White	
850202	2.5 Litre White	
850203	5 Litre White	

**Maintenance Oil Natural/White**



**W.O.C.A.** | Maintenance for all types of oiled wooden floors. Easy to apply manually or by machine. Coverage 30-40m<sup>2</sup> per litre depending on wood type.

850204	1 Litre Natural	
850205	2.5 Litre Natural	
850206	1 Litre White	
850207	2.5 Litre White	

**Decking Oil (Original)**



**W.O.C.A.** | Gives a hard wearing surface. Gives the wood a beautiful golden nuance. Contains UV protection. Coverage 10-13m<sup>2</sup> per litre. 4 per box.

850208	2.5 Litre	
--------	-----------	--

**Decking Oil (Exclusive) New**



**W.O.C.A.** | New formulated waterbased decking oil that is environmentally friendly. Gives a hard wearing protective surface which enhances the natural colour and grain of the wood. Contains UV protection.

**Coverage:** 8-10m<sup>2</sup> per litre  
**Curing time:** 24/48 hours approx.

850323	2.5 litre	
--------	-----------	--



**CHOOSE THE CORRECT APPLICATORS**

TURN TO PAGES 31 - 33